

BAILEY

BAILEY
Ladderweld

BAILEY
SCAFFOLD

MATERIAL HANDLING CATALOGUE

January 2018





LADDERWELD ACCESS PLATFORM TEMPORARY WORK PLATFORM

ALUMINIUM
LIGHTWEIGHT

INDUSTRIAL

170KG

Bailey Ladderweld Access Platforms are designed for safe, easy and efficient use in warehousing, vehicle maintenance, mining, aviation and heavy industry workplaces...

BAILEY
Ladderweld

SAFETY & DESIGN

- Super strong 'fully welded' design fabricated from heavy duty aluminium
- Steel bracing under bottom tread and side bracing provides additional protection from impact damage
- 100mm deep treads improve safety and comfort when climbing

SAFETY & FUNCTIONALITY

- Suited to 'high frequency' use.
- 'Walk thru' design for stock picking and access to mezzanine floors, vehicle access and warehousing (no need to stock several products)
- Work from three (3) sides
- Large 125mm wheels - improved portability and 'easy glide' action
- Large stable work platform (safe and stable) - 590mm x 800mm
- Manually operated braking system with high-vis powder coated activation arm helps minimize unauthorised access
- Two safety gates fitted (a 2 in 1 product allowing for walk-thru access)
- Toe board on three sides (helps secure tools/ accessories)
- Shelf included

SAFETY & COMPLIANCE

- Made to AS/ NZS 1892.1
- 170kg load rating
- Industrial duty rating for use on commercial sites
- Meets Work Cover requirements (safety gate + 900mm handrail, toeboard)

IMPROVED ASSEMBLY

- Supplied as a 'flat pack' for optimal transporting
- Standard size fasteners improve assembly time



Product Code	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Fully Open Dimensions (WxD mm)	Nominal Weight
FSI3591	Access Platform 3	828mm	2.8m	9312097059436	724 x 1168	38.1kg
FSI3592	Access Platform 4	1104mm	3.1m	9312097059443	764 x 1309	40.6kg
FSI3593	Access Platform 5	1381mm	3.4m	9312097059450	804 x 1451	43kg
FSI3594	Access Platform 6	1656mm	3.7m	9312097059467	844 x 1592	46kg
FSI3595	Access Platform 7	1933mm	3.9m	9312097059474	884 x 1733	48.5kg
FSI3596	Access Platform 8	2209mm	4.2m	9312097059481	924 x 1875	51kg
FSI3597	Access Platform 10	2761mm	4.8m	9312097059498	1003 x 2157	62kg
FSI3598	Access Platform 12	3313mm	5.3m	9312097059504	1083 x 2440	69kg
FSI3599	Access Platform 14	3866mm	5.9m	9312097059511	1164 x 2723	76.4kg



SCAN TO
VIEW ACCESS
PLATFORMS
VIDEO



SCAN TO VIEW
ASSEMBLY
VIDEO



Standard Configuration



Walk Thru Configuration



Shelf Configuration



ORDER PICKER TEMPORARY WORK PLATFORM

ALUMINIUM
LIGHTWEIGHT

INDUSTRIAL

130KG

BAILEY
Ladderworld

Bailey Order Picking Ladders are designed for safe, easy and efficient use around the warehouse or workplace. Incorporating a large, stable work platform (500mm x 510mm) and a strong welded frame construction, the Bailey Order Picker makes stock picking a breeze.

- Industrial Duty Rated. Designed for use on commercial sites and warehouses
- 130kg load rating
- Light, strong, aluminium construction with heavy duty stiles and tread
- Fully welded construction
- Ideal for moderate stock picking applications
- Spring loaded castors
- 900mm high square handrail design for greater comfort and grip when climbing and added safety
- Made to Australian and New Zealand Standards AS/NZS 1892.1

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FSI0863	Order Picker 3 130kg	0.83m	2.8m	9312097024939	17.5kg
FSI0864	Order Picker 4 130kg	1.11m	3.1m	9312097024946	19.5kg
FSI0865	Order Picker 5 130kg	1.39m	3.4m	9312097024953	22.5kg
FSI0866	Order Picker 6 130kg	1.67m	3.7m	9312097024960	23.5kg
FSI0867	Order Picker 7 130kg	1.95m	3.9m	9312097024977	28.5kg
FSI0868	Order Picker 8 130kg	2.22m	4.2m	9312097024984	30.5kg

Note: Platform height is approximate vertical height to platform from the ground

(Safety gate shown is optional extra)



PROFESSIONAL PUNCHLOCK® PLATFORM STEPLADDER

FIBREGLASS
ELECTRO-SAFE™

INDUSTRIAL

150KG

- Punchlock® tread design increases the torsional rigidity of the overall ladder frame
- Wide, anti-slip platform (490x400mm) for a secure work area
- Multi function handrail/accessories holder
- 900mm handrail height from platform
- Anti-slip rubber feet
- Made to Australian and New Zealand Standards AS/NZS 1892.3

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FSI0720	Pro FG PFS2 150kg	0.58m	2.6m	9312097021228	9.7kg
FSI0721	Pro FG PFS3 150kg	0.86m	2.9m	9312097021235	11kg
FSI0722	Pro FG PFS4 150kg	1.15m	3.1m	9312097021242	12.5kg
FSI0723	Pro FG PFS5 150kg	1.43m	3.4m	9312097021259	14kg
FSI0724	Pro FG PFS6 150kg	1.72m	3.7m	9312097021266	15.9kg
FSI0725	Pro FG PFS7 150kg	2.0m	4.0m	9312097021273	20.1kg
FSI0726	Pro FG PFS8 150kg	2.23m	4.3m	9312097021280	22.5kg

Note: Platform height is approximate vertical height to platform from the ground



PROFESSIONAL PUNCHLOCK® PLATFORM STEPLADDER

ALUMINIUM
LIGHTWEIGHT

INDUSTRIAL

170KG

- Punchlock® tread design increases the torsional rigidity of the overall ladder frame
- Strong, heavy duty extruded aluminium construction with additional 'Tri-brace' tread bracing
- Wide, anti-slip platform (490x400mm) for a secure work area
- Multi function handrail/accessories holder
- 900mm handrail height from platform
- Anti-slip rubber feet
- Made to Australian and New Zealand Standards AS/NZS 1892.1

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FSI3398	Pro AL PFS2 170kg	0.57m	2.6m	9312097055322	8.2kg
FSI3399	Pro AL PFS3 170kg	0.86m	2.9m	9312097055339	9.6kg
FSI3400	Pro AL PFS4 170kg	1.15m	3.1m	9312097055346	10.9kg
FSI3401	Pro AL PFS5 170kg	1.43m	3.4m	9312097055353	12.3kg
FSI3402	Pro AL PFS6 170kg	1.72m	3.7m	9312097055360	14.1kg
FSI3585	Pro AL PFS7 170kg	2.0m	4.0m	9312097059337	17.5kg
FSI3586	Pro AL PFS8 170kg	2.23m	4.3m	9312097059344	20.4kg

Note: Platform height is approximate vertical height to platform from the ground



P170 JOB STATION PLATFORM STEPLADDER

FIBREGLASS
ELECTRO-SAFE™

INDUSTRIAL

170KG

- Huge platform area (610 x 457mm)
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Multi-function handrail
- Fully reinforced polypropylene platform with metal inserts for maximum strength
- Checker plate 'deck pattern' provides an anti-slip standing area
- Large anti-slip feet and convenient carry handle
- Fully integrated bracing and castor system - patented industry leading design
- Made to AS/NZS 1892.3

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FSI3530	Pro FG P170 3 Job Station	0.9m	2.9m	9312097058545	17.9kg
FSI3531	Pro FG P170 4 Job Station	1.2m	3.2m	9312097058552	19.5kg
FSI3532	Pro FG P170 5 Job Station	1.5m	3.5m	9312097058569	21.2kg
FSI3533	Pro FG P170 6 Job Station	1.8m	3.8m	9312097058576	23.4kg
FSI3534	Pro FG P170 7 Job Station	2.03m	4.03m	9312097058583	29kg
FSI3535	Pro FG P170 8 Job Station	2.32m	4.32m	9312097058590	30.3kg
FSI3536	Pro FG P170 10 Job Station	2.91m	4.91m	9312097058606	35.3kg
FSI3537	Pro FG P170 12 Job Station	3.49m	5.49m	9312097058613	40.1kg

Note: Platform height is approximate vertical height to platform from the ground



P170 JOB STATION PLATFORM STEPLADDER

ALUMINIUM
LIGHTWEIGHT

INDUSTRIAL

170KG

- Huge platform area (610 x 457mm)
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Multi-function handrail
- Fully reinforced polypropylene platform with metal inserts for maximum strength
- Checker plate 'deck pattern' provides an anti-slip standing area
- Large anti-slip feet and convenient carry handle
- Fully integrated bracing and castor system - patented industry leading design
- Made to AS/NZS 1892.1

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FSI3538	Pro AL P170 3 Job Station	0.9m	2.87m	9312097058620	16.9kg
FSI3539	Pro AL P170 4 Job Station	1.2m	3.16m	9312097058637	18.4kg
FSI3540	Pro AL P170 5 Job Station	1.5m	3.45m	9312097058644	19.9kg
FSI3541	Pro AL P170 6 Job Station	1.8m	3.74m	9312097058651	21.9kg
FSI3542	Pro AL P170 7 Job Station	2.03m	4.03m	9312097058668	27.4kg
FSI3543	Pro AL P170 8 Job Station	2.32m	4.32m	9312097058675	28.4kg
FSI3544	Pro AL P170 10 Job Station	2.91m	4.91m	9312097058682	33.2kg
FSI3545	Pro AL P170 12 Job Station	3.49m	5.49m	9312097058699	37.6kg

Note: Platform height is approximate vertical height to platform from the ground



P150 PLATFORM STEPLADDER

FIBREGLASS **INDUSTRIAL** **150KG**

- Lightweight and highly portable – Up to 25% lighter than competitive products
- Fully functional 'magnetised' handrail secures tools and fasteners
- Large standing area (508 x 416mm) adds comfort and stability
- Extra strong, heavy duty fibreglass construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Swivel castors for improved mobility and improved productivity (available as an accessory)
- Made to AS/NZS 1892.3

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FS13576	HD FG P150 3 150kg	0.9m	2.9m	9312097059153	12.1kg
FS13577	HD FG P150 4 150kg	1.2m	3.2m	9312097059160	13.8kg
FS13578	HD FG P150 5 150kg	1.5m	3.5m	9312097059177	15.4kg
FS13579	HD FG P150 6 150kg	1.8m	3.8m	9312097059184	17.5kg

Note: Platform height is approximate vertical height to platform from the ground



P150 PLATFORM STEPLADDER

ALUMINIUM **INDUSTRIAL** **150KG**

- Lightweight and highly portable – Up to 25% lighter than competitive products
- Fully functional 'magnetised' handrail secures tools and fasteners
- Large standing area (508 x 416mm) adds comfort and stability
- Extra strong, heavy duty aluminium construction for superior durability
- Large anti-slip feet
- Swivel castors for improved mobility and improved productivity (available as an accessory)
- Made to AS/NZS 1892.1

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FS13580	AL P150 3 150kg	0.9m	2.9m	9312097059191	11kg
FS13581	AL P150 4 150kg	1.2m	3.2m	9312097059207	12.5kg
FS13582	AL P150 5 150kg	1.5m	3.5m	9312097059214	13.9kg
FS13583	AL P150 6 150kg	1.8m	3.8m	9312097059221	15.8kg

Note: Platform height is approximate vertical height to platform from the ground



PROFESSIONAL LADDERWELD PLATFORM STEPLADDER

ALUMINIUM **INDUSTRIAL** **150KG**

BAILEY
Ladderweld

- Industrial Duty Rated
- 150kg load rating
- Strong, aluminium construction
- Fully welded front and rear frames for strength and durability
- Wide, aluminium anti-slip platform (490x400mm) for a secure work area
- 900mm handrail height from platform
- Anti-slip rubber feet
- Made to Australian and New Zealand Standards AS/NZS 1892.1

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FS10713	Pro LW AL PFS2 150kg	0.57m	2.6m	9312097021150	11.2kg
FS10714	Pro LW AL PFS3 150kg	0.85m	2.9m	9312097021167	12.2kg
FS10715	Pro LW AL PFS4 150kg	1.14m	3.1m	9312097021174	13.5kg
FS10716	Pro LW AL PFS5 150kg	1.42m	3.4m	9312097021181	14.3kg
FS10717	Pro LW AL PFS6 150kg	1.7m	3.7m	9312097021198	15.8kg
FS10718	Pro LW AL PFS7 150kg	1.98m	4.0m	9312097021204	20.1kg
FS10719	Pro LW AL PFS8 150kg	2.26m	4.3m	9312097021211	21.6kg

Note: Platform height is approximate vertical height to platform from the ground



EXTREME INDUSTRY PLATFORM STEPLADDER

NEW

ALUMINIUM **INDUSTRIAL** **150KG**

Product applicable for Aviation / Manufacturing / Heavy Metal Manufacturing / Heavy Construction / Food & Beverage Manufacturing or anywhere harsh conditions exist.

- Punchlock Front Frame with tie rod thru the fully welded aluminium platform for increased resistance to vibration
- Aluminium Handrail
- Fully Welded Rear Frame
- 150kg Industrial Load Rating
- Anti-slip rubber feet
- Made to Australian and New Zealand Standards AS/NZS 1892.1

Product No.	Description	Platform Height	Reach Height	EAN Code	Nominal Weight
FS13315	PRO AL EXTREME INDUSTRY PFS 2 150KG IND	0.57m	2.6m	9312097053298	11.15kg
FS13310	PRO AL EXTREME INDUSTRY PFS 3 150KG IND	0.86m	2.9m	9312097053236	12.15kg
FS13311	PRO AL EXTREME INDUSTRY PFS 4 150KG IND	1.15m	3.1m	9312097053243	13.45kg
FS13314	PRO AL EXTREME INDUSTRY PFS 5 150KG IND	1.43m	3.4m	9312097053274	14.25kg
FS13316	PRO AL EXTREME INDUSTRY PFS 6 150KG IND	1.72m	3.7m	9312097053304	15.75kg

Note: Platform height is approximate vertical height to platform from the ground



SAFETY GATE FOR PLATFORM STEPLADDERS

- Fully surrounds the user
- Improves safety on platform stepladders
- Maintains a safe working zone
- Folds down for easy access
- Folds away with ladder
- Quick and easy to fit
- Simple to use
- Ladder still fits on roof racks

Product No.	Description	EAN Code	Nominal Weight
FS13647	PFS Safety Gate Kit (suits Bailey Pro-Punchlock & P150 models)	9312097060036	2.6kg
FS13648	PFS Safety Gate Kit (suits Bailey P170 models)	9312097060043	2.4kg

ACCESSORIES FOR PLATFORM STEPLADDERS

Product No.	Description	EAN Code	Nominal Weight
FS13584	Castor Kit (suits Bailey P150/ P170 models)	9312097059238	3.5kg
FS22971	AL Castor Kit (suits Pro-Punchlock 2-6' models)	9312097021419	2.5kg
FS22972	AL Castor Kit (suits Pro-Punchlock 7-8' step models)	9312097021426	2.5kg
FS23120	FG Castor Kit 2-6' (suits Pro-Punchlock 2-6' models)	9312097050044	2.5kg
FS23121	FG Castor Kit 7-8' (suits Pro-Punchlock 7-8' models)	9312097050051	2.5kg



**SCAN TO VIEW
SAFETY GATE
DEMO VIDEO**



**SCAN TO VIEW
ASSEMBLY
VIDEO**



ALUMINIUM **INDUSTRIAL** **225** KG WLL

- Tested and manufactured to AS1576: Scaffolding and AS/NZS 1577 Scaffolding Planks
- 225kg Working Load Limit
- Lightweight aluminium construction
- Fully welded construction
- Highly portable (fits in most cars)
- DIY erection (no specialist assembly for working heights < 4 metres)
- Multiple safety features
- Full set of components increases reach height up to 5.4 metres
- Full set of spares available
- Wide, non-slip platform for working safely at heights
- Lockable 150mm industrial castors
- Exterior grade plywood platform with self-locking trapdoor
- Platform supported by aluminium sub-frame
- Wind lock prevents accidental uplift
- Adjustable height leg/ castors available as an accessory
- Innovation - Expansion pack joins two standard towers and provides approximately triple the safe working area

SELECT THE RIGHT SCAFFOLD CONFIGURATION

PLATFORM HEIGHT	REACH HEIGHT*	BASE PACK FS13672	EXTENSION PACK FS13673	GUARD RAIL FS13674	TOEBOARD FS13676	LADDER FS13678	OUTRIGGER FS13677	HORIZONTAL BRACING FS13681	EXPANSION PACK FS13675
1.5m	3.5m	1		OPTIONAL	OPTIONAL		OPTIONAL		AVAILABLE
2.3m	4.3m	1	1		1	1	2	2	AVAILABLE
3.4m	5.4m	1	1	1	1	1	2		AVAILABLE

*Assumes a 1.70m person with a vertical 0.30m reach



CONFIGURATION 1A
PLATFORM HEIGHT 1.5m
Base Pack



CONFIGURATION 1B
PLATFORM HEIGHT 1.5m
Base Pack +
Guard Rail Pack




CONFIGURATION 2
PLATFORM HEIGHT 2.3m
Base Pack +
Extension Pack +
Ladder +
Horizontal Bracing +
Toe Boards +
Outrigger Pack




CONFIGURATION 3
PLATFORM HEIGHT 3.4m
Base Pack +
Extension Pack +
Guard Rail Pack +
Ladder +
Toe Boards +
Outrigger Pack




CONFIGURATION 4
PLATFORM HEIGHT 3.4m
Base Pack (2) +
Extension Pack (2) +
Guard Rail Pack (2) +
Ladder +
Toe Boards +
Expansion Pack




CONFIGURATION 1A



CONFIGURATION 1B



CONFIGURATION 2



CONFIGURATION 3

Configuration	Pack Requirements	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)	K (mm)	L (mm)
1A	Base Pack	1500	1623	752	N/A	3500	N/A	N/A
1B	Base + Guardrail Packs	1500	1623	752	2500	3500	N/A	N/A
2	Base Pack + Extension Pack + Ladder + Horizontal Bracing + Toe Boards + Outrigger Pack	2300	1623	752	3300	4300	1910	N/A
3	Base Pack + Extension Pack + Guard Rail Pack + Ladder + Toe Boards + Outrigger Pack	3400	1623	752	4400	5400	1910	1500

WORK STAND STEEL WORK PLATFORM

NEW



STEEL
STRONG & SOLID

INDUSTRIAL

170KG

- Composite Steel and Polypropylene construction
- Highest standing level of 400mm
- Ergonomic Handle & Durable construction
- Large Anti-slip standing surfaces (400mm x 300mm)
- Co-moulded feet for extra grip
- Industrial 170kg Load Rated
- For DIY, Retail, Trade & Industrial Use

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13733	Work Stand	0.4m	2.4m	9312097061675	5.2kg

POLYPROPYLENE WORK STEP STEP STOOL

NEW



POLYMER
LIGHTWEIGHT

INDUSTRIAL

150KG

- Non-conductive, Electro-Safe™ - Polypropylene
- 2 step, Step Stool - highest standing level of 360mm
- Lightweight, Durable
- Anti-slip surfaces and feet
- Industrial 150kg Load Rated
- For DIY, Retail, Trade & Industrial Use

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13731	Work Step	0.36m	2.36m	9312097061651	3.3kg



BIG TOP WORK PLATFORM ALUMINIUM WORK PLATFORM WITH ADJUSTABLE LEGS

NEW

ALUMINIUM
LIGHTWEIGHT


INDUSTRIAL

150KG

Bailey's Range Big Top Work Platform is ideal for DIY, Retail, Trade or Industrial use. The platform is made of lightweight aluminium with a large non-slip standing area. The 7 positions of adjustment allows for 50mm incremental change from 0.6m to 0.9m working height.

- Wide 1100mm x 470mm standing platform
- Adjustable 600mm to 900mm standing height
- 7 Positions - 50mm increments
- Aluminium non-slip, sturdy standing surface
- Strong, Lightweight Aluminium Construction
- Positive Lock, Locking mechanisms
- Non-slip Boots
- Industrial load rated - 150kg
- For DIY, Retail, Trade & Industrial Use

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13737	Big Top Work Platform w/ Adjustable Legs	0.6m—0.9m	2.9m	9312097061712	8.0kg



ladderspares.com.au

FINALLY, WE MADE FINDING 'LADDER SPARE PARTS' EASY!

To identify which spares are available, simply login to www.ladderspares.com.au and follow the prompts.



SCAN TO VISIT
OUR NEW LADDER
SPARES WEBSITE

FOR FURTHER INFORMATION,
PLEASE CONTACT CUSTOMER CARE
1300 760 717

BAILEYLADDERS.COM.AU
WERNERLADDER.COM.AU

Orders: AUS.Orders@wernerco.com
Claims: AUS.RMA@wernerco.com

WERNERCO

WernerCo Australia Pty Ltd A.B.N. 88 151 127 061

All details in this brochure are correct at time of printing.
WernerCo Australia reserves the right to alter product
specifications at any time without notice.

Document No. DOC17.0023 © 2018 Werner Co.